Crosswalk of CPT Codes to CDT Codes

Note: Given the sheer number of codes from which to draw, this CPT-CDT crosswalk should be viewed as a tool to assist states in reporting CPT codes on the dental lines (Lines 12a-12g) of Form CMS-416, and not as the universe of CPT codes related to dental care, nor as a set of CPT codes which describe only dental-related procedures. That is, this crosswalk may be both under-inclusive (omits some dental-related CPT codes) and over-inclusive (contains some non-dental-related CPT codes). With these limitations in mind, when using this crosswalk to inform reporting on the CMS-416, states must ensure that all CPT codes reported are for dental services only.

CMS will continue to refine this crosswalk over the next year, with plans to release an updated version of this document prior to April 1, 2016 to inform FFY 2015 CMS-416 reporting.

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|---|
| | | Diagnostic - Report these codes on lines 12a, 12e and 12g if performed by or under the supervision of a dentist; report them on lines 12f and 12g if performed by a qualified health care practitioner that is neither a dentist nor providing services under the supervision of a dentist. |
| D0210 | Intraoral - complete series (including bitewings) | 70300, 70310, 70320 |
| D0220 | Intraoral - periapical first film | 70300, 70310, 70320 |
| D0230 | Intraoral - periapical each additional film | 70300, 70310, 70320 |
| D0240 | Intraoral - occlusal film | 70300, 70310, 70320 |
| D0250 | Extraoral - first film | 70300, 70310, 70320 |
| D0260 | Extraoral - each additional film | 70300, 70310, 70320 |
| D0270 | Bitewing - single film | 70300, 70310, 70320 |
| D0272 | Bitewings - two films | 70300, 70310, 70320 |
| D0273 | Bitewings - three films | 70300, 70310, 70320 |
| D0274 | Bitewings - four films | 70300, 70310, 70320 |
| D0277 | Vertical bitewings - 7 to 8 films | 70300, 70310, 70320 |
| D0290 | Posterior-anterior or lateral skull and facial bone survey film | 70140, 70150, 70250, 70260 |
| D0310 | Sialography | 70390 |

Page 1 of 17

Version 1, as of January 22, 2015

CPT only copyright 2014 American Medical Association. All rights reserved.

The CDT Code and Nomenclature above have been obtained from Current Dental Terminology (including procedure codes, nomenclatures, descriptors and other data contained therein) ("CDT"). CDT is copyright 2014 American Dental Association. All rights reserved. Applicable FARS/DFARS apply.

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|------------------------------|
| D0320 | Tempromandibular joint arthrogram, including injection | 21116, 70332 |
| D0321 | Other temporomandibular joint arthrogram, including injection | 70328, 70330, 76499 |
| D0322 | Tomographic survey | 70486 |
| D0330 | Panoramic film | 70320, 70355 |
| D0340 | Cephalometric film | 70350 |
| D0360 | Cone beam CT - craniofacial data capture | 70486, 70487, 70488 |
| D0362 | Cone beam - two-dimensional image reconstruction using existing data includes multiple images | 70486 |
| D0363 | Cone beam - three- dimensional image reconstruction using existing data, includes multiple images | 76376 |
| D0364 | Cone beam CT capture and interpretation with limited field of view - less than one whole jaw | 70486, 70487, 70488 |
| D0365 | Cone beam CT capture and interpretation with field of view of one full dental arch - mandible | 70486, 70487, 70488 |
| D0366 | Cone beam CT capture and interpretation with field of view of one full dental arch - maxilla, with or without cranium | 70486, 70487, 70488 |
| D0367 | Cone beam CT capture and interpretation with field of view of both jaws; with or without cranium | 70486, 70487, 70488 |
| D0368 | Cone beam CT capture and interpretation for TMJ series including two or more exposures | 70486, 70487, 70488 |
| D0369 | Maxillofacial MRI capture and interpretation | 70540, 70542, 70543 |
| D0380 | Cone beam CT capture with limited field of view - less than one whole jaw | 70486-TC, 70487-TC, 70488-TC |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|--|
| D0381 | Cone beam CT capture with field of view of one full dental arch - mandible | 70486-TC, 70487-TC, 70488-TC |
| D0382 | Cone beam CT capture with field of view of one full dental arch - maxilla, with or without cranium | 70486-TC, 70487-TC, 70488-TC |
| D0383 | Cone beam CT capture with field of view of both jaws; with or without cranium | 70486-TC, 70487-TC, 70488-TC |
| D0384 | Cone beam CT capture for TMJ series including two or more exposures | 70486-TC, 70487-TC, 70488-TC |
| D0385 | Maxillofacial MRI capture | 70540-TC, 70542-TC, 70543-TC |
| D0391 | Interpretation of diagnostic image by a practitioner not associated with capture of the image, including report | Any radiology code consistent with the image being reviewed with a modifier -26 appended to the CPT code |
| D0415 | Collection of microorganisms for culture and sensitivity | 87070, 87071, 87207, 87999, 99001 |
| D0416 | Viral culture | 87070, 87071, 87207, 87999, 99001 |
| D0417 | Collection and preparation of saliva sample for laboratory diagnostic testing | 87070, 87071, 87081, 87207, 87999, 99001 |
| D0418 | Analysis of saliva sample | 87070, 87071, 87081, 87207, 87999 |
| D0421 | Genetic test for susceptibility to oral diseases | 87181, 87184, 99000, 99001 |
| D0425 | Caries susceptibility tests | 87181, 87184, 99000, 99001 |
| D0431 | Adjunctive pre-diagnostic test that aids in detection of mucosal abnormalities including premalignant and malignant lesions, not to include cytology or biopsy procedures | 82397 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|--|----------------------------|
| D0472 | Accession of tissue, gross examination, preparation and transmission of written report | 88300 |
| D0473 | Accession of tissue, gross and microscopic examination, preparation and transmission of written report | 88302, 88304, 88305, 88307 |
| D0474 | Accession of tissue, gross and microscopic examination, including assessment of surgical margins for presence of disease, preparation and transmission of written report | 88305, 88307 |
| D0475 | Decalcification procedure | 88311 |
| D0476 | Special stains for microorganisms | 88312, 88313, 99000, 99001 |
| D0477 | Special stains, not for microorganisms | 87207, 87209, 99000, 99001 |
| D0478 | Immunohistochemical stains | 88314, 99000, 99001 |
| D0479 | Tissue in-situ hybridization, including interpretation | 88365, 88367, 99000, 99001 |
| D0480 | Accession of exfoliative cytologic smears, microscopic examination, preparation and transmission of written report | 88104, 88112, 99000, 99001 |
| D0481 | Electron microscopy - diagnostic | 88104, 88112, 99000, 99001 |
| D0482 | Direct immunofluorescence | 88346, 99000, 99001 |
| D0483 | Indirect immunofluorescence | 88347, 99000, 99001 |
| D0484 | Consultation on slides prepared elsewhere | 80500, 80502, 88321, 88323 |
| D0485 | Consultation, including preparation of slides from biopsy material supplied by referring source | 80500, 80502, 88321, 88323 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|--|---------------------|
| D0486 | Accession of transepithelial cytologic sample, microscopic examination, preparation and transmission of written report | 88160, 88161, 88162 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|---|
| | | Preventive - Report these codes on lines 12a, 12b and 12g if performed by or under the supervision of a dentist; report them on lines 12f and 12g if performed by a qualified health care practitioner that is neither a dentist nor providing services under the supervision of a dentist. |
| D1310 | Nutritional counseling for control of dental disease | 96152 |
| D1320 | Tobacco counseling for the control and prevention of oral disease | 96152, 4000F |
| D1330 | Oral hygiene instructions | 96152 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|--|---|
| | | Periodontics, Maxillofacial Prosthetics, Implants, Oral & Maxillofacial Surgery, Orthodontics, Adjunctive General Services - Report these codes on lines 12a, 12c and 12g if performed by or under the supervision of a dentist; report them on lines 12f and 12g if performed by a qualified health care practitioner that is neither a dentist nor providing services under the supervision of a dentist. |
| D4210 | Gingivectomy or gingivoplasty - four or more contiguous teeth or tooth bounded spaces per quadrant | 41820, 41872 |
| D4211 | Gingivectomy or gingivoplasty - one to three contiguous teeth or tooth bounded spaces per quadrant | 41820, 41872 |
| D4212 | Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth | 41820, 41872 |
| D4230 | Anatomical crown exposure - four or more contiguous teeth per quadrant | 41820, 41821 |
| D4231 | Anatomical crown exposure - one to three teeth per quadrant | 41820, 41821 |
| D4240 | Gingival flap procedure, including root planing - four or more contiguous teeth or tooth bounded spaces per quadrant | 41870 |
| D4241 | Gingival flap procedure, including root planing - one to three contiguous teeth or tooth bounded spaces per quadrant | 41870 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|-----------|
| D4245 | Apically positioned flap | 41870 |
| D4260 | Osseous surgery (including flap entry and closure) - four or more contiguous teeth or tooth bounded by spaces per quadrant | 41823 |
| D4261 | Osseous surgery (including flap entry and closure) - one to three contiguous teeth or tooth bounded by spaces per quadrant | 41823 |
| D4263 | Bone replacement graft - first site in quadrant | 21127 |
| D4264 | Bone replacement graft - each additional site in quadrant | 21127 |
| D4266 | Guided tissue regeneration - resorbable barrier, per site | 41870 |
| D4267 | Guided tissue regeneration - nonresorbable barrier, per site (includes membrane removal) | 41870 |
| D4270 | Pedicle soft tissue graft procedure | 15574 |
| D4271 | Free soft tissue graft procedure (including donor site surgery) | 41870 |
| D4275 | Soft tissue allograft | 41870 |
| D4276 | Combined connective tissue and double pedicle graft, per tooth | 41870 |
| D4381 | Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth, by report | 41899 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|--------------|
| D4999 | Unspecified periodontal procedure, by report | 41899 |
| D5913 | Nasal prosthesis | 21087 |
| D5914 | Auricular prosthesis | 21086 |
| D5915 | Orbital prosthesis | 21077 |
| D5919 | Facial prosthesis | 21088 |
| D5932 | Obturator prosthesis, definitive | 21080 |
| D5934 | Mandibular resection prosthesis with guide flange | 21081 |
| D5935 | mandibular resection prosthesis without guide flange | 21081 |
| D5936 | Obturator prosthesis, interim | 21079 |
| D5952 | Speech aid prosthesis, pediatric | 21084 |
| D5953 | Speech aid prosthesis, adult | 21084 |
| D5954 | Palatal augmentation prosthesis | 21082 |
| D5955 | Palatal lift prosthesis, definitive | 21083 |
| D5958 | Palatal lift prosthesis, interim | 21083 |
| D6010 | Surgical replacement of implant body: endosteal implant | 21248 |
| D6012 | Surgical placement of interim implant body for transitional prosthesis: endosteal implant | 21248 |
| D6040 | Surgical placement: eposteal implant | 21248 |
| D6050 | Surgical placement: transosteal implant | 21248 |
| D7260 | Oroantral fistula closure | 30580, 30600 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|----------------------------|
| D7261 | Primary closure of a sinus perforation | 30580, 30600 |
| D7285 | Biopsy of oral tissue - hard (bone, tooth) | 20220, 20240 |
| D7286 | Biopsy of oral tissue - soft | 11100, 11101, 40808 |
| D7310 | Alveoloplasty in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 41870, 41874 |
| D7311 | Alveoloplasty in conjunction with extractions - one to three teeth or tooth spaces, per quadrant | 41870, 41874 |
| D7320 | Alveoloplasty not in conjunction with extractions - four or more teeth or tooth spaces, per quadrant | 41874 |
| D7321 | Alveoloplasty not in conjunction with extractions - one to three teeth or tooth spaces, per quadrant | 41874 |
| D7340 | Vestibuloplasty - ridge extension (secondary epithelialization) | 40840, 40842, 40843, 40844 |
| D7350 | Vestibuloplasty - ridge extension (including soft tissue grafts, muscle reattachment, revision of soft tissue attachment and management of hypertrophied and hyperplastic tissue) | 40845 |
| D7410 | Excision of benign lesion up to 1.25cm | 40810, 40812, 40814 |
| D7411 | Excision of benign lesion greater than 1.25cm | 40810, 40812, 40814 |
| D7412 | Excision of benign lesion, complicated | 40814, 40816 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|--|---------------------|
| D7413 | Excision of malignant lesion up to 1.25 cm | 40810, 40812, 40814 |
| D7414 | Excision of malignant lesion greater than 1.25 cm | 40810, 40812, 40814 |
| D7415 | Excision of malignant lesion, complicated | 40814, 40816 |
| D7440 | Excision of malignant tumor - lesion diameter up to 1.25 cm | 21034, 21044 |
| D7441 | Excision of malignant tumor - lesion diameter greater than 1.25 cm | 21034, 21044 |
| D7450 | Removal of benign odontogenic cyst or tumor - lesion diameter up to 1.25 cm | 41825, 41826, 41827 |
| D7451 | Removal of benign odontogenic cyst or tumor - lesion diameter greater than 1.25 cm | 41825, 41826, 41827 |
| D7460 | Removal of benign nonodontogenic cyst or tumor - lesion diameter up to 1.25 cm | 41825, 41826, 41827 |
| D7461 | Removal of benign nonodontogenic cyst or tumor - lesion diameter greater than 1.25 cm | 41825, 41826, 41827 |
| D7465 | Destruction of lesion(s) by physical or chemical method, by report | 40820, 41850 |
| D7471 | Removal of lateral exostosis (maxilla or mandible) | 21031, 21032 |
| D7472 | Removal of torus palatinus | 21032 |
| D7473 | Removal of torus mandibularis | 21031 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|--|--------------------------------------|
| D7485 | Surgical reduction of osseous tuberosity | 41823 |
| D7490 | Radical resection of maxilla or mandible | 21045 |
| D7510 | Incision and drainage of abscess - intraoral soft tissue | 40800, 41800 |
| D7511 | Incision and drainage of abscess - intraoral soft tissue - complicated (includes drainage of multiple fascial spaces | 40801, 41800 |
| D7520 | Incision and drainage of abscess - extraoral soft tissue | 40801, 41800 |
| D7521 | Incision and drainage of abscess - extraoral soft tissue - complicated (includes drainage of multiple fascial spaces | 40801, 41800 |
| D7530 | Removal of foreign body from mucosa, skin or subcutaneous alveolar tissue | 40804, 40805, 41805 |
| D7540 | Removal of reaction producing foreign bodies, musculoskeletal system | 20520, 20525, 40804, 40805, 41806 |
| D7610 | Maxilla - open reduction (teeth immobilized, if present) | 21422, 21423 |
| D7620 | Maxilla - closed reduction (teeth immobilized, if present) | 21421 |
| D7630 | Mandible - open reduction (teeth immobilized, if present) | 21454, 21461, 21462, 21470 |
| D7640 | Mandible - closed reduction (teeth immobilized, if present) | 21450, 21451, 21453 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|----------------------------|
| D7650 | Malar and/or zygomatic arch - open reduction | 21356, 21360, 21365, 21366 |
| D7660 | Malar and/or zygomatic arch - closed reduction | 21355 |
| D7670 | Alveolus - closed reduction, may include stabilization of teeth | 21440 |
| D7671 | Alveolus - open reduction, may include stabilization of teeth | 21445 |
| D7680 | Facial bones - complicated reduction with fixation and multiple surgical approaches | 21433, 21435 |
| D7710 | Maxilla - open reduction | 21422, 21423 |
| D7720 | Maxilla - closed reduction | 21421 |
| D7730 | Mandible - open reduction | 21454, 21461, 21462, 21470 |
| D7740 | Mandible - closed reduction | 21450, 21451, 21453 |
| D7750 | Malar and/or zygomatic arch - open reduction | 21356, 21360, 21365, 21366 |
| D7760 | Malar and/or zygomatic arch - closed reduction | 21355 |
| D7770 | Alveolus - open reduction stabilization of teeth | 21445 |
| D7771 | Alveolus - closed reduction stabilization of teeth | 21440 |
| D7780 | Facial bones - complicated reduction with fixation and multiple surgical approaches | 21433, 21435 |
| D7810 | Open reduction of dislocation | 21490 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|--|--|
| D7820 | Closed reduction of dislocation | 21480, 21485 |
| D7830 | Manipulation under anesthesia | 21073 |
| D7840 | Condylectomy | 21050 |
| D7850 | Surgical discectomy, with/without implant | 21060 |
| D7858 | Joint reconstruction | 21242, 21243 |
| D7860 | Arthrotomy | 21010 |
| D7865 | Arthroplasty | 21240 |
| D7870 | Arthrocentesis | 20605 |
| D7872 | Arthroscopy - diagnosis, with or without biopsy | 29800 |
| D7873 | Arthroscopy - surgical: lavage and lysis of adhesions | 29804 |
| D7874 | Arthroscopy - surgical: disc repositioning and stabilization | 29804 |
| D7875 | Arthroscopy - surgical: synovectomy | 29804 |
| D7876 | Arthroscopy - surgical: discectomy | 29804 |
| D7877 | Arthroscopy - surgical: debridement | 29804 |
| D7910 | Suture of recent small wounds up to 5 cm | 12011, 12013, 40830, 40831, 41250, 41251, 41252, 42180, 42182 |
| D7911 | Complicated suture - up to 5 cm | 12051, 12052, 13131, 13132, 13150, 13151, 13152, 40831, 41252, 42182 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|--|
| D7912 | Complicated suture - greater than 5 cm | 12053, 12054, 12054, 12055, 12056, 12057, 13132, 13133, 13152, 13153, 40831, 41252, 42182 |
| D7940 | Osteoplasty - for orthognathic deformities | 21208, 21209 |
| D7941 | Osteotomy - mandibular rami | 21193, 21195, 21196 |
| D7943 | Osteotomy - mandibular rami with bone graft; includes obtaining the graft | 21194 |
| D7944 | Osteotomy - segmented or subapical | 21198, 21199, 21206 |
| D7945 | Osteotomy - body of mandible | 21193, 21194, 21195, 21196 |
| D7946 | LeFort I (maxilla - total) | 21141, 21142, 21143, 21145, 21147 |
| D7947 | LeFort I (maxilla - segmented) | Any of the codes crosswalked to D7946 would be appropriate, but should be reported with a -52 modifier |
| D7948 | LeFort II or LeFort III (osteoplasty of facial bones for midface hypoplasia or retrusion) - without bone graft | 21150 |
| D7949 | LeFort II or LeFort III - with bone graft | 21151, 21154, 21155, 21159, 21160 |
| D7950 | Osseous, osteoperiosteal, or cartilage graft of the madible or maxilla - autogenous or nonautogenous, by report | 21210, 21215 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|--|--|
| D7960 | Frenulectomy - also known as frenectomy or frenotomy - separate procedure not incidental to another | 40806, 40819, 41010, 41115 |
| D7963 | Frenuloplasty | 41520 |
| D7970 | Excision of hyperplastic tissue per arch | 41828 |
| D7971 | Excision of pericoronal gingiva | 41821 |
| D7972 | Surgical reduction of osseous tuberosity | 41822 |
| D7980 | Sialolithotomy | 42330, 42335, 42340 |
| D7981 | Excision of salivary gland, by report | 42410, 42415, 42420, 42425, 42426, 42440, 42450 |
| D7982 D7983 | Sialodochoplasty Closure of salivary fistula | 42600 42600 - Closure salivary fistula |
| D7990 | Emergency tracheotomy | 31603, 31605 |
| D7991 | Coronoidectomy | 21070 |
| D7996 | Implant - mandible for augmentation purposes (excluding alveolar ridge), by report | 21125, 21127 |
| D9212 | Trigeminal division block anesthesia | 64400 |
| D9220 | Deep sedation/general anesthesia - first 30 minutes | 00170, 00172, 00174, 00176 |
| D9221 | Deep sedation/general anesthesia - each additional 15 minutes | 00170, 00172, 00174, 00176 |
| D9241 | Intravenous conscious sedation/analgesia - first 30 minutes | 99143, 99144, 99148, 99149 |

| (Form CMS-416) | Nomenclature | CPT Codes |
|----------------|---|---|
| D9242 | Intravenous conscious sedation/analgesia - each additional 15 minutes | 99145, 99150 |
| D9310 | | |
| | Consultation - diagnostic service provided by a dentist or physician other than requesting dentist or physician | Office consultation - 99241, 99242, 99243, 99244, 99245 Inpatient consultation - 99251, 99252, 99253, 99254, 99255 |